



Six-speed wind speed

Equipped with six wind speeds



Wide Angle Air Supply

Keep everything cool.



Low noise

I don't know where the wind came from.



Efficient energy saving

Do not waste your electricity.



Whole House Intelligence

Keep everything cool.



multifunctional

Lighting, Hair Dryer



Ceiling and ceiling height common



Ceiling for space height 2.4-2.7 meters



Boom type for spaces 2.6-3 m high

Standard 20cm suspenders Other lengths Advice

A variety of optional collocation

Can be selected according to home improvement style or personal preference

≰Zhigao FAN LIGHT





122cm large diameter with strong wind area



A variety of optional collocation

Can be selected according to home improvement style or personal preference

≰Zhigao FAN LIGHT





122cm large diameter with strong wind area





Upgrade 48 "Gale Zone

14 cm increase in blade diameter







A key switch to reverse and reverse

With air conditioning, winter and summer mode experience





Enhanced air flow, strong wind




Winter inversion

Reduce the temperature difference between heating and cooling, circulating heating

20 days 1 degree of energy saving

(1 gear power 5 W, working 10 hours per day)



The brightness is brighter than the ordinary

Eye lamp beads, bright and not dazzling





Three color dimming to the heart

White neutral light warm light

















All copper motor with hardcore configuration




High energy and low consumption














Triple reinforcement safe and stable operation





Product parameter display

Actual data, a variety of choices to meet the needs



Brand Zhigao

Material ABS / Acrylic / Hardware

Model 2048

Ten years warranty motor

install

According to industry standards, screws, chains, strengthening plate and other load-bearing accessories are reinforced cast iron material size for manual measurement, error + 1cm, specific in kind prevail.

parts

Standard 20cm suspender, suitable for floor height of 2.6-3 meters, floor height of more than 3 meters recommended contact customer service to purchase extended suspender

Product model 36 inches. 42inch	Product size		space
	Contraction 40 cm/expansion 92 cm Shrink 50cm / expand 108cm	48W 96W	5-7m² 8-15m²
52inch	Contraction 63 cm / expansion 132 cm	132W	15-25m²

Detail display

Brand Zhigao

Material ABS / Acrylic / Hardware

Model 2048

Ten years warranty motor

install

According to industry standards, screws, chains, strengthening plate and other load-bearing accessories are reinforced cast iron material size for manual measurement, error + 1cm, specific in kind prevail.


parts

Standard 20cm suspender, suitable for floor height of 2.6-3 meters, floor height of more than 3 meters recommended contact customer service to purchase extended suspender

Product model 36 inches. 42inch	Product size		space
	Contraction 40 cm/expansion 92 cm Shrink 50cm / expand 108cm	48W 96W	5-7m² 8-15m²
52inch	Contraction 63 cm / expansion 132 cm	132W	15-25m²

Detail display

Fashion all-match fan lamp is to prove that there is a tone



Preferred high permeable acrylic lamps hade, uniform and soft light transmission is not dazzling.



Transparent Fan Design


Simple and transparent fan leaf decoration, silicone texture delicate and clear, winding elegant fashion and highlight personality


Ceiling Fan Light Installation Basic Requirements


Ceiling fan lamp installation requirements for the ceiling: floor height ≥ 2.6M ceiling load ≥ 30KG


- 1. The ceiling of the ceiling fan lamp is suggested to be a flat ceiling. If there is a concave circular and square ceiling design, please use the ceiling surface to calculate the installation height. We recommend taking pictures and sending them to online customer service to avoid causing the ceiling fan to have no wind after installation.
- 2. Ceiling fan light's can generally be installed on the indirect plane, but the angle of indination cannot be greater than 30°, otherwise you need to customize your own hook to adjust the installation angle.


As shown below:











Standard installation

The picture shows the standard configuration (hanging installation) simple and convenient installation method, if you are the installation location of the new house loading and unloading do not do decorative caling, the default is the standard installation method

With ceiling installation

The flustration is a decorative ceiling ceiling, should be The ball rack is installed on the cement board in the front,

Boom and wire exposed decorative ceiling level Line, lengthen the boom as appropriate, the length as Depending on the height, you can consult

Position must be reinforced to with stand 60 kg.

The Bustration shows a ceiling with a formwork ceiling and The thickness of the litting position template is not less than

Decorative ceiling (wood)

20mm, remind the master in advance when decorating Reinforce and thicken at this position

The hook installation is mainly aimed at the old house or the house with the old caling fan or prefabricated board structure, etc., the installation mode of the hook is installed, and it is noted at the time of purchase, because the hook installation is different from the standard installation accessories.

Warm reminder: the fan blade distance from the caling should be more than 25CM, otherwise it will affect the wind.



Multiple colors easy to match

Modern simple style design, space all-match



360 ° head blowing wider range

Meet the wind demand of different scenes, enjoy the comfortable experience



Low wind

The wind is gentle and suitable for sleeping.

Midrange wind

2 gear supply wind quiet soft no headache

Strong wind

Strong, cool and cool 3 gear air supply

360 ° head air supply

Bid farewell to the traditional directional air fan, 360 degree shaking head air supply range is wide, can also specify the wind direction, more beneficial to the elderly, children, pregnant women, avoid direct blowing, air more comfortable.



360 ° Cycle Shake Your Head

Specify either wind direction

Electrodeless dimming color temperature change

One light three color temperature, different scenes can also have the right lighting, simple operation.



The white light is clear and bright

create a romantic atmosphere

Neutral light

Natural Light Comfort

6500K

3200K







Brightness adjustment



Color temperature regulation

A variety of styles and colors to choose from

Create a comfortable personality home life









Positive and negative double turn a key to make the air fresh

Summer is turning, with air-conditioning refrigeration, cool and comfortable; Winter reversal, with heating, global cooling;





360-degree shaking head

Different color style scene collocation





Mesigner sour rsoae









Mesigner sour rsoae









Mesigner sour rsoae



Diameter 50 cm



10-25 m2



Mesigner sour rsoae







Mesigner sour rsoae




Diameter 50 cm



10-25 m2

Product parameters

Note: If the size is measured manually, the error of 1-3cm is normal, the actual size is subject to the real thing!



Size: Diameter 50 * height 16 cm

Wattage: LED-96W

Color: white, black, gray, gold, pink, blue

Material: full copper motor + hardware chassis

Space: 10-15 m2

picture	colour	size	light source	Applicable space
	white	Diameter 50 cm Height 16cm	LDE 96W	Bedroom 10-25 m2
0	black	Diameter 50 cm Height 16cm	LDE 96W	bedroom 10-25m²
9	gray	Diameter 50 cm Height 16cm	LDE 96W	bedroom 10-25m²
	pink	Diameter 50 cm Height 16cm	LDE 96W	bedroom 10-25m²
(1)	golden	Diameter 50 cm Height 16cm	LDE 96W	bedroom 10-25m²
	blue	Diameter 50 cm Height 16cm	LDE 96W	bedroom 10-25m²



Light effect

Real shot display

Switch light effect display





48 inch new upgrade

Three major advantages to upgrade



The wind is bigger and wider

The wind is stronger



Light source chip increased

Three light colors



More silent operation

Operation silent

3 Major Upgrades

Traditional fan

48 "Upgrade

Wind Upgrade

235 rpm

Small wind

275 R/min

Meet the Family Hair Dryer

Brightness Upgrade



72W tricolor light source



96W tricolor light source


Silent upgrade



Indoor conversation



The sound of the breeze



Big fan blade big wind

Greater wind lift, wider range of blowing



Speed boost

40 rpm more than traditional models


High speed only big wind



Brightness Upgrade


High brightness with large wattage

96W upgrade lamp beads, shine brighter and wider











Luxury style leads the trendy

Interpretation of aesthetic concave new shape



Three light sources to meet different needs



Bluetooth wireless connection to enjoy music

Wireless Bluetooth connection is highly resistant to interference and can be easily used both indoors and outdoors

Enjoy wireless music playing experience

Supports connections within 10 meters

Wireless Bluetooth 4.0 Transmission

Che-Touch Bluetooth Audio APP Included Play 4.0 Wireless Bluetooth
Transmission Technology Wireless Data Transmission Connection Simple
Compatible With Almost All Bluetooth Playback Devices Wireless
Transmission Technology Speed Regulation Stable, Allowing You To Enjoy

Pleasant Wireless Music Playback Experience



Intelligent voice Tmall Genie voice control

Easy control of fan lights, into the era of smart home



mall Genie intelligent control and ordinary installation method is the same, details can consult customer servici

Commodity scenario

PRODUCTS

L A I J U N F A N L A M P







Specifications

42 "(107 dia.)

Applicable area

12-22m²

Fan Blades 4 Invisible Fan





Specifications

42 "(107 dia.)

Applicable area

12-22m²

Fan Blades 4 Invisible Fan





Specifications 42 " (Diameter 107) Applicable area

12-22m²

Fan Blades 4 Invisible Fan

Commodity parameter

Product parameters

N

L

M P

Boom type

Lever 15CM

Height 45CM

36inch Diameter92CM42inchDiameter107CM48inchdiameter120CM52inch diameter132CM

Reference Details

[Name] Fan Lamp	[Size] Diameter 107cm * Height 45cm
[Material] Iron + Acrylic + PC [Suitabl	le] 12-22 square meters
[Color] As shown	[Light source] comes with 96 W tricolor light source
[Note] Bluetooth is the same size	The seller assumes the risk of transportation





36inch Diameter92CM42inchDiameter107CM48lnchDiamer120CM

Reference Details

[Name] Fan Lamp

[Size] Diameter 107cm * Height 30cm

[Material] Iron + Acrylic + PC [Suitable] 12-22 square meters

[Color] As shown

[Light source] comes with 96 W tricolor light source


[Note] Bluetooth models are the same size [Transportation] The seller assumes the transportation risk

Note: Screw, chain, strengthening plate and other load-bearing accessories material is to strengthen the cast iron material


Intelligent controller

The whole house intelligent one key control mode optional

Different styles of different production batches of remote control appearance slightly different (the same function), please prevail in kind











Pure Copper Motor

Nice motor. Quiet.

Operate more quietly and with less effort



Before noise reduction

After noise reduction

Frequency conversion 6 big wind to experience the wind feeling of different gears

Remote control switch, to meet the family's different wind needs, enjoy the air volume comfortable experience



Forward Turn Cool Reverse Ventilation

Inverter positive and negative switch a key to switch all done with air conditioning to use more power



Commodity details

Details of Goods

Details Lamp body

Built-in steel silent motor

Copper wound motor, steel plate, double ball silent bearing, stable operation



High light transmission acrylic lampshade

Acrylic material, uniform and natural transmission of light, soft and bright light, fashion border design, simple atmosphere



Transparent Fan Design

Simple and transparent fan leaf decoration, silicone texture, delicate and clear, winding elegant fashion and personality



Wall control section wiring diagram

One fire one wiring

Light source switch and wind speed control via optional wall switch



Remote control device

Remote control wiring diagram

One fire one wiring

When the wall power switch is turned on, the ceiling fan lamp can be controlled by remote control.

